

Notice of Allowability	Application No.	Applicant(s)	
	09/639,432	KLJAJIC ET AL.	
	Examiner Guillermo Munoz	Art Unit 2637	

-- **The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 1/4/05.
2. The allowed claim(s) is/are 1-7 and 10-30.
3. The drawings filed on 13 November 2000 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

Response to Arguments

Applicant's arguments, see page 16 lines 9-11, filed January 4, 2005, with respect to the drawings have been fully considered and are persuasive. The objection of the drawings has been withdrawn.

Applicant's arguments, see page 16 lines 20-21, filed January 4, 2005, with respect to Claims 1-3, 7, 12, 13, and 20-30 have been fully considered and are persuasive. The rejection of Claims 1-3, 7, 12, 13, and 20-30 has been withdrawn.

Allowable Subject Matter

Claims 1-7 and 10-30 are allowed.

The following is an examiner's statement of reasons for allowance:

Claims 1-7 & 10-30 are considered allowable because the present invention comprise a method and corresponding structure for dividing a base clock signal in response to a composite divisor to produce a quotient and remainder to produce a baud clock signal. The composite divisor having a first component corresponding to a minimum time interval between leading edges of all adjacent pulses of the desired clock and a second component corresponding to an extended time interval between the leading edges of at least one pair of adjacent pulses. The closes art, Loyer. (cited in Office Action mailed June 24, 2004) shows a similar circuit including clock divisor. However, Loyer fails to teach The composite divisor having a first component

Art Unit: 2637

corresponding to a minimum time interval between leading edges of all adjacent pulses of the desired clock and a second component corresponding to an extended time interval between the leading edges of at least one pair of adjacent pulses. This distinct feature has been included in independent claims 1, 4, 6, 10, 12, 14, 16, 17, 21, 24, 28, and 30 rendering them allowable.

Claims 2-3, 5, 7-9, 11, 13, 15, 18-20, 22-23, 25-27, and 29 are dependent on allowed claims and are thereby allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Guillermo Munoz whose telephone number is 571-272-3045. The examiner can normally be reached on Monday-Friday 8:30a.m.-4:30p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on 571-272-2988. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

GM
May 23, 2005



JAY K. PATEL
SUPERVISORY PATENT EXAMINER